

# INDEX MAPS.

## T.12N. R. 13E. 2<sup>nd</sup> Mer.

301	302	302	303	303	303
304 6	325 5	326 4	326 3	327 2	328 1
<del>321</del>	<del>325-326</del>	<del>325-326</del>	<del>324-327</del>	<del>324-328</del>	<del>324</del>
304 7	321 8	322 9	322 10	323 11	323 12
<del>317</del>	<del>321-322</del>	<del>320-322</del>	<del>320-323</del>	<del>319</del>	<del>320</del>
304 18	317 17	318 16	318 15	319 14	329 13
<del>314</del>	<del>317-318</del>	<del>317-318</del>	<del>316-319</del>	<del>316</del>	<del>329</del>
305 19	314 20	314 21	315 22	316 23	329 24
<del>308</del>	<del>313-314</del>	<del>313-315</del>	<del>313-316</del>	<del>313</del>	<del>328</del>
305 30	308 29	309 28	310 27	312 26	328 25
<del>307</del>	<del>309</del>	<del>310</del>	<del>311</del>	<del>311</del>	
305 31	307 32	308 33	310 34	311 35	36
300	300	300	301	301	

## T.13N. R. 13E. 2<sup>nd</sup> Mer.

337	336-337	336-337	336-338	336-338	336-338
340 6	361 5	362 4	363 3	363 2	364 1 334
<del>361</del>	<del>361-362</del>	<del>360-362</del>	<del>360-363</del>	<del>360-364</del>	<del>360</del>
340 7	357 8	357 9	358 10	358 11	359 12 334
<del>356-357</del>	<del>356-357</del>	<del>356-358</del>	<del>356-358</del>	<del>355-359</del>	<del>359</del>
340 18	353 17	353 16	354 15	354 14	355 13 335
<del>352-353</del>	<del>352-353</del>	<del>352-354</del>	<del>352-354</del>	<del>351-355</del>	<del>351</del>
339 19	348 20	349 21	349 22	350 23	351 24 335
<del>348</del>	<del>347-348</del>	<del>347-349</del>	<del>347-349</del>	<del>347-350</del>	<del>350</del>
339 30	341 29	342 28	344 27	345 26	346 25
<del>341</del>	<del>342</del>	<del>343</del>	<del>344</del>	<del>345</del>	<del>346</del>
338 31	341 32	342 33	343 34	344 35	345 36
332	332	332	333	333	333

The figures on the lines refer to the page.

Township N. 12 North, Range N. 13 East, 2<sup>nd</sup> Mer. Ia.

Township Lines.

South Boundary.

East On S. Side of Sec. 31.

10.00 To River Course N.E. (Wh. Water)

40.00 Set post cor. to Sec. 31 from which  
an Ironwood 6 in. dia. bears S 22 E. 14 lks. dist.  
a Wh. Oak 8 in. dia. bears N 60 E. 21 " "

52.50 a Sugar 14 in. dia.

80.00 Set post for cor. of Sec. 31 & 32, fr. wh.  
a Sugar 12 in. dia. bears S 40 W. 9 lks. dist. X  
a Do. 8 " " " N 35 E. 14 " "

Over a high hill at 52.50.

Land on first pt over flowed  
Bottom.

East On S. side of Sec. 32.

30.00 To River (Wh. Water)

40.00 Set q. sec. post. from which  
a Dogwood 6 in. dia. bears N 4 E. 21 lks. dist. X  
a Wh. Oak 38 " " " N 16 E. 22 " "

80.00 Set post cor. to Sec. 32 & 33. from wh.  
a Mulberry 10 in. dia. bears S 61 E. 15 lks. dist.  
an Ash 14 in. dia. bears S 60 W. 45 lks. dist.  
Good land. Timber: Beech, Sugar.

East On S. side of Sec. 33.

6.50 To Wh. Water River Course N.E.

35.00 To. Do. 25 lks. wide " N.E.

40.00 Set q. sec. post. from which  
a Sycamore 30 in. dia. bears N 5 E. 34 lks. dist.  
a Do. 30 " " " N 66 E. 37 " "

Over very rich Bottom land Sugar.  
Sycamore &c.

80.00 Set post cor. to Sec. 33 & 34, fr. wh.  
a Coffeenut 12 in. dia. bears N 58 W. 24 lks.  
a Buckeye 16 " " " N 18 E. 25 " dist.

T. 12 N. R. 13 E. 2<sup>nd</sup> Mer. Ind. &  
 Ch. 40. Land rich. Sugar & Buckeye &c.

East On S. side of Sec. 34.

13.75 a Blue Ash 30 in. diam.

Land, part bottom & part hill  
 Timber: Sugar Ash &c.

40.00 Set Cr. Sec. post, from which  
 a Blue Ash 16 in. dia. bears S 76 W. 31 lks. dist.  
 a Do. 16 " " " S 71 E. 30 " "

50.00 a Brook 20 lks. wide Course S.

80.00 Set post Cor. to Secs. 34 & 35, fr. wh.  
 a Sugar 6 in. dia. bears S 59 W. 9 lks. dist.  
 a Do 8 " " " N 64 E. 12 " "  
 Tully rich land.

East On S. side of Sec. 35.

29.00 a Wh. Oak 40 in. diam.

40.00 Set Cr. Sec. post, from which  
 a Poplar 12 in. dia. bears N 45 E. 18 lks.  
 a Sugar 12 " " " N 60 W. 32 " dist.

49.50 a Brook 10 lks. wide Course S.  
 Tully Oak Land.

65.75 Intersect Old Indian Boundary &  
 Set post Cor. to Towns 11 & 12 N. R.  
 13 E. from which

a Sugar 15 in. dia. bears S 44 W. 8 lks. &  
 a Do. 6 " " " N 24 E. 26 " dist.

Surveyed in 1810.

By

Alex. C. Holmes

Deputy Surveyor.

North Boundary.

Monday Oct. 15<sup>th</sup> 1810.

East On S. side of Sec. 31. T. 13 N. R. 13 E.

18.00 a Brook 3 lks. wide Course N. E.

25.00 a Do. 4 " " " N.

T. 12 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

- 32.20 a Beech 12 in. diam.  
Hilly Beech land.
- 40.00 Set gr. sec. post, from which  
a Beech 10 in. dia. bears S 22 W. 20 k. dist. X  
a Do. 24 " " " N 29 E. 50 " "
- 45.00 a Brook 5 k. wide course N. W.
- 50.00 a Spring course S.
- 56.80 a Beech 16 in. diam.
- 80.00 Set post cor. to sec. 31 & 32, from wh.  
a Wh. Oak 30 in. dia. bears N 51 E. 18 k. dist.  
a Do. 40 " " " N 75 W. 41 " "  
Hilly Beech land.

- East On N. side of sec. 32. T. 13 N. R. 13 E.
- 9.00 a Brook 5 k. wide course N.
- 40.00 Set gr. sec. post, from which  
a Sugar 8 in. dia. bears N 69 E. 10 k. dist.  
a Sugar 14 " " " S 46 W. 20 " "
- 80.00 Set post cor. to sec. 32 & 33, from wh.  
a Beech 18 in. dia. bears N 77 W. 34 k. dist.  
a Do. 24 " " " S 65 E. 17 " "  
Hilly Beech land.

- East On S. side of sec. 33. T. 13 N. R. 13 E.
- 2.00 a Brook 3 k. wide course S.
- 40.00 Set gr. sec. post, from which  
a Beech 10 in. dia. bears N 54 W. 21 k. dist.  
a Beech 10 " " " S 9 E. 17 k. dist.  
Good Beech land, level.
- 55.00 a Brook 4 k. wide course S.
- 80.00 Set post cor. to sec. 33 & 34, from wh.  
a Beech 30 in. dia. bears S 85 W. 17 k. dist.  
a Do. 18 " " " N 37 E. 23 " "  
Land, good. Timber, - Beech  
Sugar and Poplar.



T. 13 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

East On E. side of Sec. 34. T. 13 N. R. 13 E.  
 . 10 a Brook 25 lb. wide course S.  
 16.65 a Sugar 36 in. diam.  
 37.00 a Spring course N.  
 Good Beech land.  
 40.00 Set gr. Sec. post. from which  
 a Wh. Oak 30 in. diam. bears N 30 W. 6 lb. dist. &  
 a Beech 14 " " " N 71 E. 14 " "  
 56.00 a Spring course N.  
 62.00 a Wh. Oak 50 in. diam.  
 70.00 a Brook 10 lb. wide course N. W.  
 80.00 Set post cor. to Sec. 34 & 35. from wh.  
 a Beech 30 in. diam. bears S 62 W. 18 lb. dist. &  
 a Do. 12 " " " S 85 E. 53 " "  
 Good Beech land.

East On E. side of Sec. 35. T. 13 N. R. 13 E.  
 33.00 a Brook 3 lb. wide course S.  
 40.00 Set gr. Sec. post. from which  
 a Wh. Oak 30 in. diam. bears N 62 E. 5 lb.  
 a Beech 18 in. diam. " S 55 W. 18 "  
 Good level Beech land.  
 80.00 Set post cor. to Sec. 35 & 36. fr. which  
 a Beech 16 in. diam. bears N 66 W. 21 lb. dist.  
 & an Ash 8 " " " S 16 E. 16 " "

East On E. side of Sec. 36. T. 13 N. R. 13 E.  
 9.00 a Brook 3 lb. wide C. N.  
 13.19 a Wh. Oak 48 in. diam.  
 Land, level. Timb. Beech, Oak,  
 and Gum.  
 40.00 Set gr. Sec. post. from which  
 a Wh. Oak 24 in. diam. bears N 65 W. 35 lb. dist.  
 a Beech 16 " " " S 61 E. 27 " "  
 48.00 a Brook 3 lb. wide course N.  
 59.00 Intersect Old Indian Boundary

T. 12 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

Sec. 11. 20<sup>th</sup> N 9<sup>th</sup> E. of 59<sup>th</sup> Mile post. & set a post, from which  
 a Sugar 8 in. dia. bears S 25 E. 26 lb. dist.  
 a Wh. Oak 45 " " " N 45 E. 26 lb. dist. A  
 Sand, level Timber. Wh. Oak.  
 Surveyed in 1810.

By Alexander Holmes  
 Deputy Surveyor.

West Boundary.

Oct. 12<sup>th</sup> 1810.

Random Line

South On E. side of sec. 1. T. 12 N. R. 12 E.

8.00 a Brook 3 lb. wide course N. W.

39.50 a Do. 3 " " " W.

40.00 set temp. y. gr. sec. post.

45.00 a Brook 4 lb. wide course W.

72.50 a Do 3 " " " W.

80.00 set temp. post cor. to Sec. 1 & 12.

1<sup>st</sup> part good Beech land.

2<sup>nd</sup> " " hilly " "

South On E. side of sec. 12. T. 12 N. R. 12 E.

40.00 set temp. y. gr. sec. post.

41.50 a Brook 3 lb. wide course W.

61.50 a Do. 3 " " " W.

72.00 a Spring course W.

80.00 set temp. post cor. to Sec. 12 & 13.

Beech land Broken with Guts.

South On E. side of sec. 13. T. 12 N. R. 12 E.

125 a Spring course S. W.

17.00 a Brook 10 lb. wide S. W. E.

40.00 set temp. y. gr. sec. post.

79.50 a Brook 5 lb. wide course E.

80.00 set post cor. to sec. 13 & 24 (temp. y.)

hilly land. Timber Oak & Beech.

T. 12 N. R. 13 E. 9<sup>th</sup> Mer. Indiana.

South On E. side of Sec. 24. T. 12 N. R. 12 E.

28.00 a brook 50 lb. wide course W.

40.00 set tempy. gr. sec. post.

Land part good bottom.

58.00 a brook 3 lb. wide course W.

80.00 set post cor. to Secs. 25 &amp; 24, (tempy.)

Hilly Oak land.

South On E. side of Sec. 25. T. 12 N. R. 12 E.

25.00 a brook 3 lb. wide course W.

40.00 set tempy. gr. sec. post.

45.00 a brook 3 lb. wide cor. W.

60.00 a do. 3 " " cor. W.

80.00 set tempy. post cor. to Secs 25 & 26, wh.  
Land, Hilly, Limb. Beech, Oak, &  
Gum &c.

South On E. side of Sec. 36. T. 12 N. R. 12 E.

6.00 a brook 5 lb. wide course W.

40.00 set tempy. gr. sec. post.

50.00 a brook 100 lb. wide course E.

80.00 Intersect 3 ch. E. of Township corner.

1<sup>st</sup> 1/2 Hilly rich land Limb. Oak &c.2<sup>nd</sup> 1/2 first rate Bottom. Timbered  
with Sugar Walnut and Ash.Oct. 13<sup>th</sup> 1810.

Correction Line.

North On E. side of Sec. 36. T. 12 N. R. 12 E.

40.00 set gr. sec. post. from which

an Ash 1 in. dia. bears N 63° W. 9 lb. dist.

&amp; a Sugar 8 " " " S 74° W. 13 " "

80.00 set post cor. to Secs. 25 &amp; 36 from which

a Sugar 30 in. dia. bears N 44° E. 23 lb. dist. &amp;

a Gum 14 " " " N 69° W. 28 " "

T. 12 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

Chs. Shs.

Oct. 2 1810.

North An E. side of Sec. 25. T. 12 N. R. 12 E.

40.00 Set gr. Sec. post, from which

a Beech 24 in. dia. bears S 81 W. 15 lks. dist. &amp;

a Do. 12 " " " S 81 E. 34 " "

80.00 Set post Cor. to Sec. 24 &amp; 25. from which

a Dogwood 6 in. dia. bears N 7 E. 10 lks. dist. and

a Sugar 15 " " " N 18 W. 43 " "

North An E. side of Sec. 24. T. 12 N. R. 12 E.

40.00 Set gr. Sec. post, from which

a Hickory 8 in. dia. bears N 43 E. 22 lks. dist. &amp;

a Buckeye 10 " " " S 23 W. 34 " "

80.00 Set post Cor. to Sec. 13 &amp; 24, from which

a Wh. Oak 12 in. dia. bears N 41 W. 7 lks. dist.

&amp; an Ironwood 9 in. dia. S 9 W. 14 " "

North An E. side of Sec. 13. T. 12 N. R. 12 E.

40.00 Set gr. Sec. post, from which

a Wh. Oak 36 in. dia. bears N 86 E. 6 lks. dist. &amp;

a Beech 4 " " " S 45 W. 5 " "

80.00 Set post Cor. to Sec. 12 &amp; 13, from which

a Gum 18 in. dia. bears S 7 E. 28 lks. dist. &amp;

a Beech 16 " " " N 37 E. 32 " "

North An E. side of Sec. 12. T. 12 N. R. 12 E.

40.00 Set gr. Sec. post, from which

a Gum 18 in. dia. bears N 47 E. 9 lks. dist. &amp;

a Beech 14 " " " S 87 W. 41 " "

80.00 Set post Cor. of Sec. 1 &amp; 12, from which

a Beech 8 in. dia. bears N 22 E. 40 lks. dist. &amp;

a Do. 13 " " " N 77 W. 51 " "

North An E. side of Sec. 1. T. 12 N. R. 12 E.

40.00 Set gr. Sec. post, from which

a Poplar 40 in. dia. bears S 78 W. 14 lks. &amp;



T. 12 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

ch. 4<sup>th</sup> a Beech 18 in. dia. bears N 8 E. 36 ch. dist.  
 80.00 Set post Cor. of Towns 12 & 13 North  
 Ranges 12 & 13 East. from which  
 a Beech 24 in. dia. bears N 63 E. 4 ch. dist. )  
 a Beech 8 " " " N 70 W. 28 " "  
 Surveyed in 1810.

By Alexander Holmes.  
 Deputy Surveyor.

### Subdivision.

North Between Sections 31 & 32.

6.18 a Wh. Ash 20 in. diam.

19.25 To the W. Fork of White Water 200 ch.  
 wide Course S. 80 E.

40.00 Set gr. sec. post. from which  
 a Gycamore 10 in. dia. bears N 25 E. 28 ch. dist.  
 a Honey Locust 12 in. " " S 53 E. 21 " "

62.85 W.B. Ash 15 in. diam.

80.00 Set post Cor. to Sec. 29, 30, 31 & 32, fr. wh.  
 a Beech 20 in. dia. bears N 5 W. 34 ch. dist. )  
 a Poplar 30 " " " N 66 E. 24 " "  
 Land, 62 ch. on the S. End of this mile  
 Overlve 2<sup>nd</sup> rate land. Timb. Ash &  
 Sugar &c. Remainder over hilly  
 3<sup>rd</sup> rate land.

West On Road<sup>er</sup> between Sec. 30 & 31.

30.00 a Stream 15 ch. wide Course S.

40.00 Set temp. gr. sec. post.

40.75 a good Spring on line Crs. S. 30 E.

72.30 a stream 12 ch. wide runs S.

80.26 Intersect N & S. line 22 ch. N. of post.  
 Over hilly 3<sup>rd</sup> rate land. Timb. Beech,  
 Oak, Poplar Sugar & Hickory &c.

East Correct line between Sec. 30 & 31.

308

S. 12 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

- 40.13 set gr. sec. post. from which  
 a Bl. Ash 12 in. dia. bears N 82 E. 22 lks. dist.  
 a Buckeye 8 " " " S 60 W. 22 " "  
 80.26 Sec. cor.

North Between Sec. 29 & 30.

- 9.10 a Wh. Oak 16 in. diam.  
 15.00 a Stream 14 lks. wide crs. S.W.  
 40.00 set gr. sec. post. from which  
 a Poplar 20 in. dia. bears N 12 W. 13 lks. dist.  
 a Beech 8 " " " S 74 E. 24 " "  
 50.20 a Poplar 22 " "  
 80.00 set post cor. of Sec. 19, 20, 29 & 30.  
 a Sugar 6 in. dia. bears S 19 E. 20 lks. dist.  
 a Do. 9 " " " S 68 W. 21 " "  
 Over hilly 3<sup>rd</sup> rate land. Timber: Beech,  
 Oak, Poplar & Sugar.

West On Random between Sec. 19 & 30.

- 17.75 a Stream 8 lks. wide crs. N. 30 E.  
 40.00 Set tempy. gr. sec. post.  
 65.50 a Stream 6 lks. wide course N.  
 80.18 Intersect N & S line 32 lks. N. of post.  
 Over hilly 3<sup>rd</sup> rate land. Timber:  
 Wh. Oak, Poplar Sugar & Hickory &c.

East correct line between Sec. 19 & 30.

- 40.09 set gr. sec. post. from which  
 a B. Gum 12 in. dia. bears N 10 E. 23 lks. dist.  
 & a Hickory 5 " " " S 10 W. 19 " "  
 80.18 Sec. cor.

North Between Sec. 32 & 33.

- 20.50 a Hickory 18 in. diam.  
 40.00 set gr. sec. post. from which  
 a Sugar 8 in. dia. bears N 11 W. 8 lks. dist.

T. 12 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

Ch. 40. a Sugar 9 in. dia. bears N 77 E. 19 Ch. dist.  
 53.90 a Beech 15 in. " "  
 60.00 a Run 25 Ch. wide Course S. E.  
 80.00 Set post Cor. to Sec. 28, 29, 32 & 33 fr. wh.  
 a Hickory 15 in. dia. bears N 68 W. 23 Ch. dist.  
 a Beech 8 " " " N 82 E. 13 " "  
 Land hilly 3<sup>rd</sup> rate. Timber Beech,  
 Oak, Poplar, Sugar & Hickory.

West On Random between Sec. 29 & 32.  
 6.50 a Run 20 Ch. wide S 20 E.  
 23.50 a Water Course 15 Ch. wide S 39 E.  
 40.00 Set tempy. gr. Sec. post.  
 50.15 a Stream 16 Ch. wide Course S. 18 W.  
 80.60 Intersect N & S. line 29 Ch. S. of post.  
 Over hilly 3<sup>rd</sup> rate land. Timber, Oak,  
 Beech, Poplar and Sugar &c.

East Correct line betw<sup>n</sup> Sec. 29 & 32.  
 40.30 Set gr. Sec. post. from which  
 a Wh. Oak 36 in. dia. bears N 64 E. 35 Ch. dist.  
 a Beech 9 " " " N 73 W. 28 " "  
 80.60 Section corner.

North Between Sections 28 & 29.  
 15.10 a Beech 14 in. diam.  
 17.00 a Stream 14 Ch. wide S. 30 W.  
 40.00 Set gr. Sec. post. from which  
 a Poplar 24 in. dia. bears N 29 E. 30 Ch. dist.  
 a Sugar 14 in. dia. bears S 46 W. 10 " "  
 47.04 a Do. 15 " "  
 80.00 Set post Cor. to Sec. 20, 21, 28 & 29, fr. wh.  
 a Sugar 7 in. dia. bears S 24 W. 12 Ch. dist.  
 a Beech 10 " " " N 6 W. 24 " "  
 Over hilly 3<sup>rd</sup> rate land. Timber.  
 Beech Oak Poplar & some Sugar.

T. 12 N. R. 13 E. 2<sup>nd</sup> Mer. Ind. Co.  
ch. 4<sup>th</sup>.

North Between Sec. 33 & 34.

8.40 a Wh. Ash 35 in. dia.

40.00 set gr. sec. post. from which  
a Wh. Oak 12 in. dia. bears N 72 E. 15 lb. dist.  
a Hickory 8 " " " S 20 W. 26 " dist.

68.25 a B. Gum 14 in. diam.

80.00 set post cor. to Sec. 27, 28, 33 & 34.  
a Sugar 9 in. dia. bears N 53 W. 19 lb. dist.  
a Hickory 17 in. dia. " S 3 W. 10 " "  
25 chs. on the S. end of this mile  
over level 1<sup>st</sup> rate land. Timber  
S. Ash & Walnut.

West On Random between Sec. 28 & 33.

33.75 a stream runs S. W.

40.00 set temp. gr. sec. post.

80.28 Intersect N & S line 17 lb. N. of post.  
This mile over very hilly 3<sup>rd</sup> rate  
land. Timb. Beech, Oak Poplar &  
Sugar. &c.

East Connect line between Sec. 28 & 33.

40.14 set gr. sec. post. from which  
a Poplar 24 in. dia. bears East 5 lb. dist.  
a Sugar 9 " " " N 74 W. 19 " "

80.28 Sec. Cor.

North Between sections 27 & 28.

11.60 a Wh. Oak 30 in. diam.

15.00 a stream 10 lb. wide flows E.

40.00 set gr. sec. post. from which  
a Poplar 18 in. dia. bears N 11 E. 13 lb. dist.  
a B. Gum 12 " " " S 87 W. 13 " "

62.00 a Beech 15 in. diam.

80.00 set post cor. to Sec. 21, 22, 27 & 28.  
a B. Gum 15 in. dia. bears S 65 W. 38 lb. dist.



S. 12 N. N. 13 E. 2<sup>nd</sup> Mer. Ind.

a Sugar 12 in. diam. bears N 32 E. 34 k. dist.  
This mile over hilly 3<sup>rd</sup> rate land.  
Timb. Beech Oak Poplar and  
Sugar, &c.

North Between sections 34 & 35.

18.60 a Beech 18 in. diam.

29.00 a stream 12 k. wide Cus. S. W.

40.00 Set gr. sec. post. from which  
a Poplar 12 in. dia. bears N 34 E. 22 k. dist.  
a Dogwood 5 " " S 54 W. 29 " "

62.54 a B. Gum 14 in. diam.

79.40 a stream 15 k. wide S. 60 W.

80.00 Set post Cor. to Sec. 26, 27, 34 & 35, from which  
a Beech 18 in. dia. bears N 84 W. 23 k. dist.  
a Do. 20 " " S 85 E. 34 " "  
Over hilly 3<sup>rd</sup> rate land. Timb.  
Beech Oak Poplar and Gum.

West An Random between Sec. 27 & 34.

9.30 a small stream runs S.

40.00 Set temp. gr. sec. post.

43.25 a Run 45 k. wide Course S.

79.94 Intersect N & S line 17 k. N. of post.  
Over hilly 3<sup>rd</sup> rate land. Timb.  
Beech, Oak Poplar & Sugar.

East Correct line between Secs. 27 & 34.

39.97 Set gr. sec. post. from which  
a Hackberry 12 in. diam. N 80 W. 37 k. dist.  
a Bl. Ash 14 " " bears N 48 E. 18 " "

79.94 Section Corner.

East Between sections 26 & 35.

20.65 a Beech 14 in. diam.

21.25 a small stream Course S. W.

T. 12 N. S. 13 E. 2<sup>nd</sup> Mer. Indiana.

Ch. 4th

36.84 To Old Random Boundary line.

40.00 Set gr. sec. post. from which  
a Wh. Oak 36 in. dia. bears N 42 E. 7 lks. dist. &  
a Beech 5 " " " South 59 W. 13 lks. dist.

56.40 a Beech 16 in. diam.

77.66 To Old Boundary line and set a  
post. from which  
a Beech 18 in. dia. bears N 27 E. 27 lks. dist., and  
Land, level 3<sup>1</sup>/<sub>2</sub> rate. - Beech, Poplar,  
Oak Gum.

North Between Secs. 26 &amp; 27.

24.50 a Stream 15 lks. wide Course W.

32.70 a Beech 14 in. diam.

35.25 a Run 30 lks. wide Course S. 30 W.

40.00 Set gr. sec. post. from which  
a Sugar 8 in. dia. bears N 30 E. 19 lks. dist.  
a Beech 20 " " " N 51 W. 32 " "

59.36 a Beech 14 " "

80.00 Set post cor. to Secs. 22, 23, 26 & 27. from  
a Hickory 22 in. dia. bears S 20 W. 25 lks. dist.  
a Beech 20 " " " N 82 E. 19 " "  
This mile over Broken 3<sup>1</sup>/<sub>2</sub> rate land  
Timber Beech Oak Poplar Gum &  
Hickory.

East Between Secs. 23 &amp; 26.

5.55 a Stream 12 lks. wide Course S. 20 W.

22.00 a Do. 6 " " " South.

23.85 a Beech 16 in. diam.

26.00 a Stream 8 lks. wide runs S.

40.00 Set gr. sec. post. from which  
a forked Beech 18 in. dia. bears N 3 W. 13 lks. &  
a Beech 12 in. dia. bears N 29 E. 17 lks. dist.

42.70 a Beech 13 in. diam.

53.35 To Old Random Boundary line.

T. 12 N. R. 13 E. 2<sup>nd</sup> Mer. Ind.

80.00 Set post Cor. to Sec. 23, 24, 25 & 26.  
 (in a Run 8 lb. wide course N.E.)  
 From which post  
 a Beech 10 in. dia. bears S 43° W. 13 lb. dist. &  
 a Do. 12 " " " N 81° W. 31 " "  
 Land, level 3<sup>rd</sup> rate. Timb. Beech  
 Oak & Poplar.

West On Rand<sup>m</sup> between Sec. 22 & 27.  
 20.57 a stream 10 lb. wide course S.W.  
 40.00 Set gr. sec. post. (temp.)  
 a stream 12 lb. wide course S.W.  
 62.80 a Run 25 " " " S 75° E.  
 80.27 Intersect N & S line 61 lb. W. of post.  
 Over hilly 3<sup>rd</sup> rate land. Beech  
 Oak & Poplar.

West On Rand<sup>m</sup> 21 & 28 (between sec.)  
 17.25 a stream 14 lb. wide. N 70° E.  
 38.75 a stream 4 " " runs S.  
 40.00 Set temp. gr. sec. post.  
 58.75 a stream 7 lb. wide runs N.  
 78.20 a stream course N. 6 lb. wide.  
 80.07 Intersect N & S line 13 lb. N. of post.  
 Over Broken 3<sup>rd</sup> rate land. Timb.  
 Beech Oak Poplar & Gum.

West On Random between Sec. 20 & 29.  
 16.60 a stream 9 lb. wide course S.W.  
 40.00 Set temp. gr. sec. post.  
 78.10 a stream 8 lb. wide course N.  
 79.76 Intersect N & S line 32 lb. S. of post.  
 Land, Over hilly 3<sup>rd</sup> rate land.  
 Timb. Oak Hickory Poplar and  
 Sugar &c.

T. 12 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

North Between sections 19 & 20.

- 4.20 a stream course W.  
 24.70 a Beech 20 in. diam.  
 26.60 a stream 15 lb. wide course W.  
 40.00 set gr. sec. post. from which  
 a Maple 12 in. dia. bears N 87 E. 10 lb. dist.  
 a Beech 10 " " " S 37 W. 11 " "  
 61.25 a stream 15 lb. wide runs W.  
 67.50 a Run 40 " " " S. W.  
 80.00 set post cor. to Secs. 17, 18, 19 & 20.  
 a Wh. Walnut 6 in. dia. bears S 39 E. 16 lb.  
 an Elm 10 in. dia. bears N 85 W. 22 lb. dist.  
 Land hilly 3<sup>rd</sup> rate. Timb. Beech, Oak,  
 Poplar & sugar.

West On Run <sup>dr</sup> between Secs. 18 & 19.

- 40.00 set temp. gr. sec. post.  
 69.00 a Run 45 lb. wide course S.  
 80.10 Intersect N & S line 24 lb. N. of Holmes  
 post.  
 Over hilly 3<sup>rd</sup> rate land. Timb. Beech Oak Poplar Sugar &c.

East Correct line between Secs. 18 & 19.

- 40.05 set gr. sec. post. from which  
 a Beech 15 in. diam. bears N 66 W. 45 lb. dist.  
 a Sugar 7 " " " S 39 E. 8 " "  
 80.10 Section corner.

East Correct line between Secs. 20 & 21.

- 39.88 set gr. sec. post. from which  
 a Beech 7 in. dia. bears N 61 W. 14 lb. dist. and  
 a Do. 12 " " " N 82 E. 10 " "  
 49.76 Section corner.

North Between sections 20 & 21.



S. 12 N. T6. 13 E. 2<sup>nd</sup> Mer. Ind. a

Ch. No.

- 17.30 a Stream 8 lks. wide course N 80 W.  
 19.75 a Do. 10 " " " N. W.  
 27.80 a Poplar 15 in. diam.  
 37.75 a Stream 14 lks. wide course W.  
 40.00 Set gr. Sec. post, from which  
 a Beech 9 in. dia. bears N 35 E. 7 lks. dist. X  
 a Hick. 18 " " " S 25 W. 10 " "  
 57.15 a Poplar 24 in. diam.  
 68.25 a Run 18 lks. wide course W.  
 77.50 a Stream 8 " " " W.  
 80.00 Set post cor. to Sec. 16, 17, 20 & 21, f. wh.  
 a Beech 10 in. dia. bears N 36 E. 18 lks. dist. X  
 a Do. 15 " " " S 10 W. 48 " "  
 Land, runs

East corner line between Sec. 21 & 28.

- 40.03 1/2 Set gr. Sec. post, from which  
 a Beech 12 in. dia. bears N 72 E. 26 lks. dist. X  
 & a Do. 9 " " " N 56 W. 26 " "  
 80.07 Section corner.

North Between Sec. 21 & 22.

- 7.50 a Run 20 lks. wide course S. E.  
 31.00 a Stream 12 " " " S. W.  
 34.30 a Beech 18 in. diam.  
 40.00 Set gr. Sec. post, from which  
 a Wh. Oak 15 in. dia. bears N 89 W. 18 lks. dist. X  
 a Beech 16 " " " N 85 E. 22 " "  
 48.15 a Wh. Oak 36 in. diam.  
 80.00 Set post cor. to Sec. 15, 16, 21 & 22, f. wh.  
 a Beech 8 in. dia. bears N 6 E. 23 lks. dist. X  
 a Gum 16 " " " S 24 W. 31 " "  
 This mile over hilly 3<sup>rd</sup> rate  
 land. Timbered with Beech, Oak  
 Poplar and Gum.

T. 12 N. R. 13 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

East Correct line between Sec. 22 & 23.

40.13<sup>1</sup>/<sub>2</sub> Set gr. sec. post. from which  
a Sugar 14 in. dia. bears N 25° W. 14 lb. dist. X  
a Sugar 14 " " " N 6° W. 21 " "

80.27 Section corner.

North Between sections 22 & 23.

5.80 a Wh. Oak 40 in. diam.

40.00 Set gr. sec. post. from which  
a Hickory 22 in. dia. bears N 39° E. 24 lb. dist.  
X a Sugar 10 " " " N 53° W. 30 " "

56.50 a small stream course S. W.

73.30 a Wh. Oak 26 in. diam.

80.00 Set post Cor. to Sec. 14, 15, 22 & 23, fr. wh.  
a Gum 14 in. dia. bears S 53° E. 35 lb. dist. X  
a Wh. Oak 10 in. dia. " N 64° W. 26 " "

Over level thin soil. Timber: Beech  
Oak Poplar & Sugar, Gum & Hickory.

East Between Sec. 14 & 23.

10.85 a Wh. Oak 28 in. diam.

23.75 a Stream 7 lb. wid & course N.

40.00 Set gr. sec. post. from which  
a Beech 14 in. dia. bears S 85° W. 40 lb. dist. X  
a Poplar 30 " " " N 47° E. 25 " "

47.00 a Stream 10 lb. wid N 15° E.

55.50 a Do. 12 " " " " " " "

71.84 Intersect Old Indian <sup>Random</sup> Boundary  
line

80.32 Hill 8 lb. North of post.

This mile over hilly 3<sup>rd</sup> rate land  
Timbered with Beech Oak Poplar  
and Gum &c.

West On Random between Sec. 15 & 22.

40.00 Set temp. gr. sec. post.

T. 12 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

79.88 Intersect N & G. line 22 lks. N. of post.  
Land, level Timb. Beech Oak Poplar  
and Hickory.

---

West On Random between Sec. 16 & 21.

40.00 Set tempy. gr. sec. post.

79.86 Intersect N & G. line 12 lks. N. of post.  
Over 3<sup>rd</sup> rate land some broken.  
Timb.  $\frac{2}{3}$  with Oak Beech & Poplar.

---

West On Random between Sec. 17 & 20.

27.75 a stream 10 lks. wide course N.W.

40.00 Set tempy. gr. sec. post.

77.00 a Run 40 lks. wide course S.

80.08 Intersect N & G. line 13 lks. S. of post.  
Over hilly 3<sup>rd</sup> rate land. Timb. Beech  
Oak, Poplar, & Sugar.

---

North Between Sections 17 & 18.

28.00 a stream 10 lks. wide course S.E.

40.00 Set gr. sec. post. from which  
an Elm 9 in. dia. bears N 2 E. 22 lks. dist. &  
a Sugar 10 " " " S 7 W. 41 " "

58.75 a small run course E.

61.80 a Sugar 14 in. diam.

80.00 Set post cor. to Sec. 7, 8, 17 & 18, from wh.  
a Beech 14 in. diam. bears S 51 E. 34 lks. dist.  
a Beech 20 " " " N 61 W. 39 " "  
Over hilly 3<sup>rd</sup> rate land Timb. Beech  
Oak Poplar Sugar & Gum.

---

West On Random between Sec. 7 & 18.

40.00 Set tempy. gr. sec. post.

55.20 a Run 30 lks. wide course S.

80.36 Intersect N & G. line 37 lks. N. of post.  
Over hilly 3<sup>rd</sup> rate land. Timb. Beech,

T. 12 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

Ch. W. Oak, Poplar and Sugar. thick undergrowth of brush & briars.

East Correct line between Secs. 7 & 18.

40.18 Set gr. sec. post, from which  
a Beech 15 in. dia. bears S 62 E. 30 lks. dist. X  
a Do. 7 " " " S 62 W. 20 " "  
80.36 Section Corner.

East Correct line between Secs. 19 & 20.

40.04 Set gr. sec. post. from which  
a Beech 22 in. dia. bears N 38 E. 32 lks. dist.  
a W. Walnut 12 in. dia. " S 32 E. 29 " "  
80.08 Section Corner.

North Between Sections 16 & 17.

11.55 a Beech 15 in. diam.  
36.50 a Run 20 lks. wide  
40.00 Set gr. sec. post. from which  
an Elm 8 in. dia. bears N 53 E. 16 lks. dist.  
& a Dogwood 5 in. dia. " S 35 W. 18 " "  
53.45 a Beech 18 in. diam.  
59.75 a stream runs S 20 W.  
80.00 Set post cor. to Secs. 8, 9, 16, & 17, fr. wh.  
an Elm 12 in. dia. bears N 79 W. 21 lks. dist.  
a Spruce 14 " " " S 75 E. 20 " "  
Over hill 3<sup>rd</sup> rate land. Timber:  
Beech, Oak, Poplar and Hickory &c.

East Correct line between Secs. 16 & 21.

39.93 Set gr. sec. post. from which  
a Beech 10 in. dia. bears N 71 E. 18 lks. dist.  
a Do. 18 " " " S 82 W. 47 " "  
79.86 Section Corner.

North Between Secs. 15 & 16.



T. 19 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

- 9.75 a small Plum Grove W.  
 18.90 a Beech 15 in. diam.  
 24.60 a stream 12 lb. wide course S.W.  
 40.00 set gr. sec. post, from which  
 a Beech 12 in. dia. bears S 20 W. 25 lb. dist.  
 a Maple 18 " " " N 78 E. 9 " "  
 42.10 a Beech 17 " "  
 64.20 a stream 12 lb. wide course S.W.  
 80.00 set post cor. to Secs. 9, 10, 15 & 16, fr. wh.  
 a Beech 15 in. dia. bears N 59 E. 18 lb. dist.  
 a Do. 12 " " " N 17 W. 30 " "  
 This mile over level land. —  
 Timber, Beech Oak Poplar & Hickory.

---

East Correct line between Secs. 15 & 22.

- 39.94 set gr. sec. post, from which  
 a Gum 12 in. dia. bears North, 28 lb. dist.  
 a Poplar 15 in. " " N 48 E. 27 " "  
 79.88 section corner.

---

North Between Sections 14 & 15.

- 34.35 a Beech 20 in. dia.  
 40.00 set gr. sec. post, from which  
 a Beech 12 in. dia. bears N 77 E. 35 lb. dist.  
 a Hickory 8 " " " N 41 W. 37 " "  
 44.75 a stream 10 lb. wide course N.E.  
 64.80 a Beech 15 in. diam.  
 80.00 set post cor. to Secs. 10, 14 & 15, fr. wh.  
 a Poplar 14 in. dia. bears N 66 E. 28 lb. dist.  
 a Beech 18 " " " N 28 W. 26 " "  
 Over Broken 3<sup>rd</sup> rate land. Timber:  
 Beech, Oak, Poplar and Hickory &c.

---

East An True line between Secs. 11 & 14.

- 17.18 a Beech 16 in. diam.  
 40.00 set gr. sec. post, from which

T. 12 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

- Ch. No. a Spruce 5 in. dia. bears N 80° W. 28 lb. dist.  
 a Dogwood 5 in. " " S 54° E. 22 " "  
 40.25 a stream runs S. E.  
 47.00 a Do. 10 lb. wide S. 4 rods below  
 the line the water falls 18 or 20 feet  
 perpendicular off of rocks.  
 67.50 a stream course S. E.  
 80.00 set post Cor. to Sec. 11, 12, 13 & 14, fr. wh.  
 a Beech 12 in. dia. bears N 23° E. 20 lb. dist.)  
 a Do. 14 " " " S 45° W. 31 " "  
 Over hill 3<sup>rd</sup> rate land. Timber,  
 Beech, Oak, Poplar & Sugar.

East Between Sec. 12 & 13.

- .30 a Run 14 lb. wide course E.  
 8.80 To Old Random boundary line  
 22.00 a Water course 7 lb. wide course S.  
 32.70 a Hickory 14 in. diam.  
 35.50 Intersect Old Boundary line and  
 set a post, from which  
 a wh. Oak 20 in. dia. bears S 64° E. 20 lb. dist.)  
 an Elm 10 in. dia. bears N 64° W. 45 " "  
 Land, Broken 3<sup>rd</sup> rate. Timber. Oak  
 Beech, Poplar &c.

West On Rand<sup>m</sup> between Sec. 10 & 15.

- 40.00 set temp. gr. sec. post.  
 79.90 Intersect N & S. line at post.  
 Land 3<sup>rd</sup> rate. Timber. Beech, Oak  
 Poplar and Hickory &c.

West On Random between Sec. 9 & 16.

- 40.00 set temp. gr. sec. post.  
 72.75 a stream 12 lb. wide, N 80° W.  
 80.00 Intersect N & S. line 20 lb. N of post.  
 Over hill 3<sup>rd</sup> rate land. Timber,

S. 12 N. R. 13 E. 2<sup>nd</sup> Indiana.

Ch. Sp. Beech, Oak, Poplar and Hickory.

West On Random between sec. 8 & 17.

11.50 a Run 50 lbs. wide S 30 W.

22.80 a Small stream runs S. E.

40.00 set gr. sec. post. (temp.)

55.00 a Run 14 lbs. wide course S.

72.25 a stream 6 " " " S.

80.12 Intersect N & S line 14 lbs. S. of post.  
Land, over hilly 3<sup>rd</sup> rate land —  
Timber, Beech, Oak, Poplar &  
sugar — very thick undergrowth  
of brush and briars.

North Between sec. 7 & 8.

5.45 a Run 15 in. diam.

40.00 Set gr. sec. post, from which  
a Beech 15 in. dia. bears N 6 E, 17 lbs. dist. &  
a Sugar 6 " " " N 25 W, 23 " "

45.30 a Poplar 50 in. dia.

80.00 set post, cor. to sec. 5, 6, 7 & 8, from wh.  
a Sugar 10 in. diam.

Land rough 3<sup>rd</sup> rate land. Timber  
Beech, Oak Poplar. Timber much  
destroyed by a hurricane; very thick  
undergrowth.

West On Run 2<sup>nd</sup> between sec. 6 & 7.

38.20 a Small stream runs S.

40.00 set temp. gr. sec. post.

80.16 Intersect N & S line 13 lbs. N. of post.  
Over Broken third rate land —  
Timber, Beech, Oak, Poplar & Hickory.

East correct line between sec. 6 & 7.

40.08 set gr. sec. post, from which

322

S. 12 N. R. 13 E. 2<sup>nd</sup> Mer. Ind<sup>o</sup>

ch. 1<sup>st</sup> a Beech 20 in. dia. bears N 62 W. 41 lb. dist.  
a Do. 22 " " " N 20 E. 18 " "  
80.16 Section Cor.

---

East Correct line between Sec. 8 & 17.  
40.06 set gr. sec. post, from which  
a Sugar 10 in. dia. bears N 4 W. 9 lb. dist. &  
a Do. 8 " " " S 6 E. 7 " "  
80.02 Section Corner.

---

North Between Sec. 8 & 9.  
1.10 a Run 15 lb. wide Course W.  
40.00 Set gr. sec. post, from which  
a Dogwood 5 in. dia. bears S 18 W. 37 lb. dist.  
& a Beech 15 " " " N 39 W. 20 " "  
44.50 a Run 45 lb. wide Course W.  
67.45 a Sugar 14 in. diam.  
80.00 set post cor. to Sec. 4, 5, 8 & 9. fr. wh.  
a Beech 17 in. dia. bears S 28 E. 22 lb. dist.  
& a Do. 16 " " " N 65 W. 68 " "  
Over hill 3<sup>rd</sup> rate land. Limb.  
Beech, Oak Poplar & Sugar.  
very thick undergrowth of bush  
and green briars.

---

East Correct line betw<sup>n</sup> sec. 9 & 16.  
40.00 set gr. sec. post, from which  
a Poplar 38 in. diam. bears S 55 W. 41 lb. dist.  
a Beech 10 " " " N 49 E. 21 " "  
80.00 Section Corner.

---

North Between Sec. 9 & 10.  
21.40 a stream 12 lb. wide Crs. W.  
22.40 a Wh. Oak 16 in. diam.  
33.00 a stream 10 lb. wide Crs. W.  
40.00 set gr. sec. post, from which



T. 12 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

ch. 10<sup>th</sup> a Beech 12 in. diam. bears N 30 E. 9 lb. dist.  
 a Do 9 " " " N 61 W. 21 " "  
 58.25 a Do. 16 " "  
 80.00 Set post Cor. to Sec. 3, 4, 9 & 10, fr. wh.  
 a Beech 20 in. dia. bears N 6 W. 37 lb. dist.  
 a Do. 12 " " " N 82 E. 17 " "  
 This mile Over 2<sup>nd</sup> rate soil  
 some broken. Timbered with  
 Beech, Oak, Poplar Sugar and  
 some Ash.

East Corner line between Sec. 10 & 15.  
 39.95 set gr. sec. post. from which  
 a wh. Alb 12 in. dia. bears N 4 E. 27 lb. &  
 a Beech 7 " " " N 24 E. 5 " dist.  
 79.90 Section Corner.

North Between Sec. 10 & 11.  
 9.00 a Beech 17 in. diam.  
 35.80 a water course runs E.  
 38.20 a stream 10 lb. wide bears S. 60 E.  
 40.00 set gr. sec. post. from which  
 a Beech 9 in. diam. bears N 74 E. 31 lb. dist.  
 & Beech 14 " " " N 59 W. 14 " "  
 62.20 a Sugar 12 in. diam.  
 66.00 a Run 12 lb. wide course N 20 W.  
 80.00 Set post Cor. to Sec. 2, 3, 10 & 11, fr. wh.  
 a forked Beech 14 in. diam. bears N 66 E. 24 lb.  
 a Beech 13 in. diam. N 16 W. 28 lb. dist.  
 This mile Over level thin soil  
 Timb. Beech, Oak, Poplar, Sugar  
 and Hickory &c.

North Between Sec. 11 & 12.  
 20.20 a small stream course S. E.  
 26.75 a Bl. Oak 16 in. diam.

T. 12 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

- 40.00 set gr. sec. post. from which  
an Elm 8 in. dia. bears N 32 W. 30 lb. dist. X  
a Beech 9 " " " S 12 W. 39 " "
- 60.65 a Wh. Oak 30 in. diam.
- 80.00 set post cor. to Sect. 1, 2, 11 & 12, from wh.  
a Poplar 14 in. dia. bears S 43 E. 11 lb. dist. X  
a swp. Ash 10 " " " N 13 E. 12 " "
- Land, the south 1/2 of this mile hill  
the North 1/2 level, all 3<sup>rd</sup> rate.  
Timb. Beech, Oak Poplar & Hickory.

East On Same line between Sect. 1 & 12.

- 12.10 a Gum 12 in. diam.
- 18.00 a stream runs N 30 E.
- 25.83 To Old Random boundary line
- 38.00 a Run 14 lb. wide S 20 E.
- 40.00 set gr. sec. post. from which  
a Gum 10 in. dia. bears S 53 E. 19 lb. dist. X  
a Beech 10 " " " N 39 W. 15 " "
- 46.85 Intersect Old Boundary line and  
set post. from which  
a Dogwood 4 in. dia. bears S 55 W. 20 lb. dist. X  
a Beech 10 " " " N 60 E. 29 " "
- Land, Broken 3<sup>rd</sup> rate. Timb.  
Beech, Poplar, Oak and Sugar &c.

West On Random between Sect. 2 & 11.

- 35.75 a small Drain runs N. E.
- 40.00 set temp. gr. sec. post.
- 55.30 a stream 5 lb. wide course S.
- 80.18 Intersect N & S. line 10 lb. N. of post.  
Over level 2<sup>nd</sup> rate land. Timb.  
Beech Oak Poplar and Hickory &c.

West On Random between Sect. 3 & 10.

- 40.00 set temp. gr. sec. post.

T. 12 N. R. 13 E. 2<sup>nd</sup> Mer. Ind.

55.00 a Run 15 lb. wide course N 40 W.  
 66.80 a stream 8 " " " N. W.  
 80.18 Intersect N & E. line 6 lb. N. of post.  
 This mile over rough 2<sup>nd</sup> rate  
 land Timber: Beech, Oak, Poplar  
 and Sugar.

West On Random between Sec. 4 & 9.  
 26.50 a creek 40 lb. wide runs S.  
 40.00 set tempy. gr. sec. post.  
 77.10 a stream 8 lb. wide course S. 30 E.  
 80.06 Intersect N & E. line 18 lb. N. of post.  
 Land Broken 3<sup>rd</sup> rate line. Timber:  
 Beech, Oak, Poplar Sugar and some  
 Ash.

West On Random between Sec. 5 & 8.  
 33.50 a stream 7 lb. wide course S. W.  
 40.00 set tempy. gr. sec. post.  
 55.50 a Run 14 lb. wide course S. E.  
 57.25 a stream (small one) bears S 75 E.  
 79.88 Intersect N & E. line 7 lb. E. of post.  
 Over hilly 3<sup>rd</sup> rate land. Timber:  
 Beech Oak Poplar and Gum.

North Between Sections 5 & 6.  
 7.00 a small stream course S. E.  
 20.00 a Run 14 lb. wide course S. E.  
 21.80 a Poplar 18 in. diam.  
 40.00 set gr. sec. post. from which  
 a Beech 17 in. dia. bears N 82 E. 18 lb. &  
 a Hickory 16 " " S 25 W. 11 " dist.  
 67.35 a Wh. Oak 34 " "  
 79.90 Intersect N. Boundary 13 lb. E. of W.  
 (sketches post & set post cor. to sec.  
 N<sup>o</sup> 5 & 6, from which

326

S. 12 N. N. 13 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

ch. 4<sup>th</sup> a Beech 14 in. dia. bears East 32 lb. dist. &  
a Gum 8 " " " N 24 E. 28 " "  
Over Broken 3<sup>rd</sup> rate land. Limb.  
Beech Poplar and Oak.

---

East Correct line between Sec. 5 & 8.

39.94 Set q. sec. post. from which  
a Beech 6 in. dia. bears N 71 E. 18 lb. dist. &  
a Beech 9 " " " S 62 W. 17 " "

79.88 Section Corner.

---

North Between Sec. 4 & 5.

11.75 a stream 8 lb. wide runs S. 80 E.

26.75 a Beech 17 in. diam.

38.80 a small stream N 76 E.

40.00 Set q. sec. post. from which

a Sugar 12 in. dia. bears West 30 lb. dist. &  
a Do. 10 " " " N 14 E. 27 " "

50.00 a stream 9 lb. wide course S. E.

70.30 a Do. 8 " " " S 30 E.

79.83 Intersect Town. line 9 lb. W. of Madnes  
post and set post cor. to Sec. 4 & 5. f. wh.  
a Beech 8 in. dia. bears N 33 W. 29 lb. dist. &  
a Do. 7 " " " S 60 W. 12 " "

This mile over Broken 3<sup>rd</sup> rate  
land. Limb. Beech, Oak Poplar  
and Gum.

---

East Correct line between Sec. 4 & 9.

40.03 Set q. sec. post. from which

a Beech 16 in. dia. bears S 78 E. 13 lb. dist. &  
a Sugar 9 " " " N 83 W. 30 " "

80.06 Section Corner.

---

North Between Sec. 3 & 4.

13.75 a Run 25 lb. wide course W.



T. 12 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

- 20.60 a Beech 10 in. diam.  
 31.15 a stream 12 lbs. wide bas. S. 70 W.  
 40.00 Set q. Sec. post, from which  
 a Beech 17 in. dia. bears N 10 E. 36 lbs. dist. &  
 a Do. 8 " " " S 31 E. 12 " "  
 50.12 a Poplar 35 in. diam.  
 73.50 a Run 35 lbs. wide runs S 15 W.  
 79.38 Intersect Town. line, and set post.  
 from which (Cor. to Sec. 3 & 4.)  
 a Beech 9 in. diam. bears N 66 E. 31 lbs. dist. &  
 an Elm 7 " " " S 6 W. 23 " "  
 Land, 2<sup>nd</sup> rate Timber Beech, Poplar  
 Sugar and some Ash.

East Correction line betw<sup>n</sup> Sec. 3 & 10.

- 40.04 Set q. Sec. post, from which  
 a Beech 12 in. dia. bears N 18 W. 53 lbs. dist.  
 & an Elm 8 " " " S 53 W. 8 " "  
 80.08 Section Corner.

## North Between Sec. 2 &amp; 3.

- 14.20 a stream runs W.  
 24.45 a Hickory 15 in. diam.  
 40.00 Set q. Sec. post, from which  
 a Beech 12 in. dia. bears S 79 W. 34 lbs. dist. &  
 a Do. 14 " " " N 7 W. 20 " "  
 45.50 a small stream course W.  
 66.20 a stream 12 lbs. wide C. N 75 W.  
 73.35 a Beech 16 in. diam.  
 79.27 To Town line 15 lbs. E. of Holmes  
 post, and set post cor. to Sec. 2 & 3.  
 from which  
 a Beech 8 in. dia. bears S 17 W. 26 lbs. dist.  
 a Do. 6 " " " N 7 E. 33 " "  
 Land, level 2<sup>nd</sup> rate. Timber Beech  
 Oak Poplar Hickory &c.

T. 12 N. R. 13 E. 2<sup>nd</sup> Mer. Indian.East Correct line betw<sup>n</sup> sec. 2 & 11.

40.09 Set gr. sec. post. from which  
 a Gum 6 in. dia. bears N 34 W. 28 lb. dist.  
 a Beech 10 in. " " East 10 lb. dist.  
 80.18 Section Corner.

North Between sec. 1 &amp; 2.

5.85 a stream 8 lb. wide course E.  
 22.20 a W. Oak 16 in. diam.  
 37.60 a small stream course E.  
 40.00 Set gr. sec. post. from which  
 a Poplar 20 in. dia. bears N 62 E. 10 lb. dist.  
 a Beech 9 " " " N 24 W. 20 " "  
 55.45 a Do. 15 " "  
 79.22 To Town line 21 lb. E. of Holmes's  
 post & set post cor. of sec. 1 & 2, from wh.  
 a W. Ash 10 in. dia. bears N 47 W. 21 lb.  
 an Elm 8 in. dia. bears N 43 E. 16 lb. dist.  
 Land, level 3<sup>rd</sup> rate. Timb. Beech  
 Oak, Poplar & Hickory &c.

South Between sec. 25 &amp; 26.

23.60 a Sugar 12 in. diam.  
 40.00 Set gr. sec. post. from which  
 a W. Oak 30 in. dia. bears S 57 W. 43 lb. dist.  
 a Beech 15 " " " S 84 E. 14 " "  
 58.25 a Gum 18 " "  
 65.00 To Old Indian Boundary line  
 & set post. from which  
 a Beech 14 in. dia. bears N 43 E. 36 lb. dist.  
 a Do. 12 " " " N 37 W. 28 " "  
 Land level poor land. Timb.  
 Beech, Oak, Poplar and Gum.

East Between sec. 24 &amp; 25.

9.65 To Old Indian Boundary line

T. 12 N. R. 13 E. 2<sup>nd</sup> Mer. Indiana.

and set post, from which  
a Beech 24 in. dia. bears N 62 W, 20 lks. &  
a Gum 14 " " " S 5 E, 8 lks. dist.  
Land, level  $3\frac{1}{2}$  rate. Beech  
Poplar Oak.

North Between Sections 23 & 24.

22.00 a Run 10 lks. wide Course E.

28.15 a Beech 15 in. diam.

40.00 a Forked Beech 12 in diam.

46.00 To small Water Course runs S. E.

65.15 a Beech 12 in. diam.

80.00 Set post Cor. to Secs. 13, 14, 23 & 24 fr. wh.  
a Sugar 12 in. dia. bears N 83 E, 26 lks. dist.  
a Bl. Oak 16 " " " N 57 W, 32 " "  
Land Broken  $3\frac{1}{2}$  rate. Beech  
Poplar &c.

East Between Secs. 13 & 24.

4.75 a small Stream Course N.

5.15 a Hickory 18 in. diam.

23.22 To old Indian Boundary line &  
set post, from which  
a Hickory 10 in. dia. bears N 4 W, 8 lks. dist.  
a Sugar 12 " " " N 44 W, 9 " "  
Land, Broken  $3\frac{1}{2}$  rate. Beech &  
Poplar Oak and Hickory &c.

North Between Secs. 13 & 14.

12.75 a Wh. Oak 24 in. diam.

40.00 Set q. sec. post, from which  
a Wh. Oak 12 in. dia. bears N 34 W, 8 lks. dist. &  
an Elm 12 " " " N 6 E, 16 " "

44.20 a Run 25 lks. wide Course S. E.

72.50 a Run 15 " " Course S 10 W.

80.00 set post Cor. to Secs. 11, 12, 13 & 14.

T. 12 N. R. 13 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>.

ch. 1<sup>st</sup> [nothing more said]

Land 3<sup>rd</sup> rate & Broken.

Surveyed in 1811.

By William Ludlow  
Deputy Surveyor.

I certify that the foregoing transcripts  
of field notes of Township N<sup>o</sup> 12 North  
in Range N<sup>o</sup> 13 East, 2<sup>nd</sup> Principal  
Meridian Indiana, has been compared  
with the original field notes in this  
office and found to be correct.

Surveyor General's Office  
Detroit Nov. 1. 1849

Lucius Lyon,  
Sur. Genl.